

Colors

Colors

Buttons are used for performing actions on the interface.

Common properties for buttons

Colors

Colors

Brand

Accessibility: Skip navigation links

#

F

4

F

4

F

4

Headings

Headings

Any item that is marked with the caret down symbol, has a dropdown.

searchbox

All dropdowns shall have the same look & feel. There may be exceptions as in `<select>` element.

When dropdown is displayed the item with the caret shall have the active status.

activa

Forms

We use a 12 column system with a gutter (space between two columns) of 16px.



Background colors

#c9c9c9c9c9

For accessibility all elements that have an action shall display by default the following style when the **:focus** status is active.

Textura

common properties for default texts

#961A49

Alerts

Alerts

Mobile

Traffic light colors



Donner Built on



The following are defined in UNICEF's brand book:

#80BD41

We use the native font stack.

Pratya
fird

#374EA2





Input

#FFFC20E

Disaid

Page backgrounds

For that navigate with keyboard. Skip navigation link shall be provided. This link is only in a visible area when it has the focus.

Typography

2

App header with menu

text: Cursor for all active editable fields (input, textareas, etc..), as well as
selectable text.

Form with errors

Repeating links (e.g. in a list or a table) should not have an underline



common properties for small texts

#FFFC20E

#000000

Default width = 100% of container width.

Buttons and Links

Buttons with icons



#

F

4

F

4

F

4

Common properties for headers:

All icons shall include a label as it is more accessible. Exceptionally, a :hover tooltip

Accessibility: Skip navigation links (fixed header)



#767676

Finds with error

#6A3674

For vertical flow, we use by multiples of **0.5rem (8px)**. Each element total height shall be always a multiple of 8px or 0.5rem.



This document is in DRAFT status and may be subject to changes.

This document is mainly intended for internal use of UNICEF staff and partners.

Debut
Baton

without numbers

Labels use `$defaultcolor` or `$lighter color`. Placeholder too. Both need to be accessible.



Full/empty/current_value = 0

Desktop 1024px

We will assume that the grid works the same way it does in the Bootstrap framework.

Columns are enclosed within containers. These are the containers for each breakpoints:

sm: 540px, md: 720px, lg: 960px, xl: 1140px.

Tablato = 1024px

Alerts appear as result of an action. Common properties for alerts:

default: It shall be the default cursor.



Links

Mobile buttons have a slightly large height to allow user to tap on them.



Grayscale

Dropdown menus

Forms

Fieldbackgrounds

Navigation - Trees

These colors are used to represent status of an action or an element.

pointer: All clickable/actionable elements must have the hand cursor.





UNICEF Logos

se:act





#80BD41

#E2231A

Small

Small

For general icons we use FontAwesome 5.x, for UN/Humanitarian representations we use the Humanitarian font.

Texts

Focus

Focus

Cursors

#9C9C9C



normal



Icons

Icons

#F26A21

!howar

normal



Progress bar

#E2231A



Annex-Exportable Resources

#c9c9c9c9c9

columns

Tables

Links

Primary

Button

12

PRINT

Mobile (Experimental TBD)

Navigation - Tabs

visited

Gridsystem

App header



Disclaimer

Hides UNICEF logo.

#961A49

Monday friends

Labels and Placeholders

#3344DD

Traffic light backgrounds

Vertical flow

Cards

Cards

#1 CABE2

activa

#4A4A4A

!howver

Generally, browsers set $1\text{rem} = 16\text{px}$. Therefore, 0.5rem is equivalent to 8px .

#00833D

#

F

F

F

F

F

F